

Network Working Group
Internet-Draft
Intended status: Informational
Expires: 9 November 2020

B. E. Carpenter
Univ. of Auckland
B. Liu, Ed.
Huawei Technologies
W. Wang
X. Gong
BUPT University
8 May 2020

Generic Autonomic Signaling Protocol Application Program Interface
(GRASP API)
draft-ietf-anima-grasp-api-05

Abstract

This document is a conceptual outline of an application programming interface (API) for the Generic Autonomic Signaling Protocol (GRASP). Such an API is needed for Autonomic Service Agents (ASA) calling the GRASP protocol module to exchange autonomic network messages with other ASAs. Since GRASP is designed to support asynchronous operations, the API will need to be adapted to the support for asynchronicity in various languages and operating systems.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of [BCP 78](#) and [BCP 79](#).

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on 9 November 2020.

Copyright Notice

Copyright (c) 2020 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to [BCP 78](#) and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the [Trust Legal Provisions](#) and are provided without warranty as described in the Simplified BSD License.

Table of Contents


1.	Introduction	2
2.	GRASP API for ASA	4
2.1.	Design Principles	4
2.2.	Asynchronous Operations	5
2.3.	API definition	7
2.3.1.	Parameters and data structures	7
2.3.2.	Registration	11
2.3.3.	Discovery	13
2.3.4.	Negotiation	14
2.3.5.	Synchronization and Flooding	19
2.3.6.	Invalid Message Function	23
3.	Implementation Status [RFC Editor: please remove]	24
4.	Security Considerations	24
5.	IANA Considerations	24
6.	Acknowledgements	24
7.	References	24
7.1.	Normative References	24
7.2.	Informative References	25
	Appendix A. Error Codes	25
	Appendix B. Change log [RFC Editor: Please remove]	26
	Authors' Addresses	28

1. Introduction

As defined in [[I-D.ietf-anima-reference-model](#)], the Autonomic Service Agent (ASA) is the atomic entity of an autonomic function, and it is instantiated on autonomic nodes. When ASAs communicate with each other, they should use the Generic Autonomic Signaling Protocol (GRASP) [[I-D.ietf-anima-grasp](#)].

As the following figure shows, a **GRASP implementation** could contain two major sub-layers. The bottom is the GRASP base protocol module, which is only responsible for sending and receiving GRASP messages and maintaining shared data structures. The upper layer contains some extended functions based upon GRASP basic protocol. For example, [[I-D.liu-anima-grasp-distribution](#)] describes a possible extended function.

It is desirable that ASAs can be designed as portable user-space programs using a portable API. In many operating systems, the GRASP module will therefore be split into two layers. The top layer is a library that provides the API. The lower layer is a daemon that contains GRASP core functions that are independent of specific ASAs, such as multicast handling and relaying, and common data structures such as the discovery cache. The GRASP API library would need to communicate with the GRASP core via an inter-process communication (IPC) mechanism. The details of this are system-dependent.



Both the GRASP library and the extended function modules should be available to the ASAs. Thus, there need to be two sub-sets of API. However, since the extended functions are expected to be added in an incremental manner, it is inappropriate to define all the function APIs in a single document. This document only describes the basic GRASP API.

Note that a very simple autonomic node might contain only a single ASA in addition to the autonomic infrastructure components described in [I-D.ietf-anima-bootstrapping-keyinfra] and [I-D.ietf-anima-autonomic-control-plane]. Such a node might directly integrate GRASP in its autonomic code and therefore not require this API to be installed.

This document gives a conceptual outline of the API. It is not a formal specification for any particular programming language or operating system, and it is expected that details will be clarified in individual implementations.

2. GRASP API for ASA

2.1. Design Principles

The assumption of this document is that any **Autonomic Service Agent (ASA)** needs to call a **GRASP module** that handles protocol details (security, sending and listening for GRASP messages, waiting, caching discovery results, negotiation looping, sending and receiving synchronization data, etc.) but understands nothing about **individual objectives**. The semantics of objectives are unknown to the GRASP module and are handled only by the ASAs. Thus, this is a **high level abstract** API for use by ASAs. Individual language bindings should be defined in separate documents.

An assumption of this API is that ASAs may fall into various classes:

- * ASAs that only use GRASP for discovery purposes.
- * ASAs that use GRASP negotiation but only as an initiator (client).
- * ASAs that use GRASP negotiation but only as a responder.
- * ASAs that use GRASP negotiation as an initiator or responder.
- * ASAs that use GRASP synchronization but only as an initiator (recipient).
- * ASAs that use GRASP synchronization but only as a responder and/or flooder.
- * ASAs that use GRASP synchronization as an initiator, responder and/or flooder.

The API also assumes that one ASA may support multiple objectives. Nothing prevents an ASA from supporting some objectives for synchronization and others for negotiation.

The API design assumes that the operating system and programming language provide a mechanism for **simultaneous** asynchronous operations. This is discussed in detail in [Section 2.2](#).

The functions provided by the API **do not** map one-to-one onto GRASP messages. Rather, they are intended to offer convenient support for message sequences (such as a discovery request followed by responses from several peers, or a negotiation request followed by various possible responses).

A few items are out of scope in this version, since practical experience is required before including them:

- * Authorization of ASAs is out of scope.
- * User-supplied explicit locators for an objective are not supported.
- * The Rapid mode of GRASP is not supported.

2.2. Asynchronous Operations

GRASP includes asynchronous operations and wait states, and its messages are not idempotent, i.e. they may cause incremental changes of state in the recipient ASA. Most ASAs will need to support several simultaneous operations; for example an ASA might need to negotiate one objective with a peer while discovering and synchronizing a different objective with a different peer. Alternatively, an ASA which acts as a resource manager might need to run simultaneous negotiations for a given objective with multiple different peers. Such an ASA must support atomic access to its internal data structures, for example using operating system locks.

Thus, both the GRASP core and most ASAs need to support asynchronous operations. Depending on both the operating system and the programming language in use, there are three main techniques for such parallel operations: multi-threading, an event loop structure using polling, and an event loop structure using callback functions.

1. In multi-threading, the operating system and language will provide the necessary support for asynchronous operations, including creation of new threads, context switching between threads, queues, locks, and implicit wait states. In this case, all API calls can be treated naturally as synchronous, even if they include wait states, blocking and queueing. Simultaneous operations will each run in their own threads. For example, the discover() call may not return until discovery results have arrived or a timeout has occurred. If the ASA has other work to do, the discover() call must be in a thread of its own.
2. In an event loop implementation with polling, blocking calls are not acceptable. Therefore all calls must be non-blocking, and the main loop could support multiple GRASP sessions in parallel by repeatedly polling each one for a change of state. To facilitate this, the API implementation would provide non-blocking versions of all the functions that otherwise involve blocking and queueing. In these calls, a 'noReply' code will be returned by each call instead of blocking, until such time as the

event for which it is waiting (or a failure) has occurred. Thus, for example, `discover()` would return 'noReply' instead of waiting until discovery has succeeded or timed out. The `discover()` call would be repeated in every cycle of the main loop until it completes. Effectively, it becomes a polling call.

3. In an event loop implementation with callbacks, the ASA programmer would provide a callback function for each asynchronous operation, e.g. `discovery_received()`. This would be called asynchronously when a reply is received or a failure such as a timeout occurs.

The following calls involve waiting for a remote operation, so they could use a polling or callback mechanism. In a threaded mechanism, they will usually require to be called in a separate thread:

`discover()` whose callback would be `discovery_received()`.

`request_negotiate()` whose callback would be `negotiate_step_received()`.

`negotiate_step()` whose callback would be `negotiate_step_received()`.

`listen_negotiate()` whose callback would be `negotiate_step_received()`.

`synchronize()` whose callback would be `synchronization_received()`.

There is nothing in the design of GRASP to prevent the following scenario. Consider an ASA "A" that acts as a resource allocator for some objective. An ASA "B" launches a negotiation with "A" to obtain or release a quantity of the resource. While this negotiation is under way, "B" chooses to launch a second simultaneous negotiation with "A" for a different quantity of the same resource. "A" must therefore conduct two separate negotiation sessions at the same time with the same peer, and must not mix them up.

Note that ASAs could be designed to avoid such a scenario, i.e. restricted to exactly one negotiation session at a time for a given objective, but this would be a voluntary restriction not required by the GRASP protocol. In fact it is an assumption of GRASP that an ASA managing a resource may need to conduct multiple parallel negotiations, possibly with the same peer. Therefore, the API design allows for such scenarios.

In the callback model, for the scenario just described, the ASAs "A" and "B" will each provide two instances of `negotiate_step_received()`, one for each session. For this reason, each ASA must be able to distinguish the two sessions, and the peer's IP address is not sufficient for this. It is also not safe to rely on transport port numbers for this, since future variants of GRASP might use shared ports rather than a separate port per session. This is why the GRASP design includes a session identifier. Thus, when necessary, a 'session_nonce' parameter is used in the API to distinguish simultaneous GRASP sessions from each other, so that any number of sessions may proceed asynchronously in parallel.

In calls where it is used, the 'session_nonce' is an opaque read/write parameter. On the first call, it is set to a null value, and the API returns a non-null 'session_nonce' value based on the GRASP session identifier. This value must be used in all subsequent calls for the same session, and will be provided as a parameter in the callback functions. By this mechanism, multiple overlapping sessions can be distinguished, both in the ASA and in the GRASP core. The value of the 'session_nonce' is opaque to the ASA.

An additional mechanism that might increase efficiency for polling implementations is to add a general call, say `notify()`, which would check the status of all outstanding operations for the calling ASA and return the session_nonce values for all sessions that have changed state. This would eliminate the need for repeated calls to the individual functions returning a 'noReply'. This call is not described below as the details are likely to be implementation-specific.

An implication of the above for all GRASP implementations is that the GRASP core must keep state for each GRASP operation in progress, most likely keyed by the GRASP Session ID and the GRASP source address of the session initiator. Even in a threaded implementation, the GRASP core will need such state internally. The session_nonce parameter exposes this aspect of the implementation.

2.3. API definition

2.3.1. Parameters and data structures

This section describes parameters and data structures used in multiple API calls.

2.3.1.1. Errorcode

All functions in the API have an unsigned 'errorcode' integer as their return value (the first returned value in languages that allow multiple returned parameters). An errorcode of zero indicates success. Any other value indicates failure of some kind. The first three errorcodes have special importance:

1. Declined: used to indicate that the other end has sent a GRASP Negotiation End message (M_END) with a Decline option (O_DECLINE).
2. No reply: used in non-blocking calls to indicate that the other end has sent no reply so far (see [Section 2.2](#)).
3. Unspecified error: used when no more specific error code applies.

[Appendix A](#) gives a full list of currently suggested error codes, based on implementation experience. While there is no absolute requirement for all implementations to use the same error codes, this is highly recommended for portability of applications.

2.3.1.2. Timeout

Wherever a 'timeout' parameter appears, it is an integer expressed in **milliseconds**. If it is zero, the GRASP default timeout (GRASP_DEF_TIMEOUT, see [[I-D.ietf-anima-grasp](#)]) will apply. If no response is received before the timeout expires, the call will fail unless otherwise noted.

2.3.1.3. Objective

An 'objective' parameter is a data structure with the following components:

- * name (UTF-8 string) - the objective's name
 - * neg (Boolean flag) - True if objective supports negotiation (default False)
 - * synch (Boolean flag) - True if objective supports synchronization (default False)
 - * dry (Boolean flag) - True if objective supports dry-run negotiation (default False)
- Note 1: **All objectives are assumed to support discovery**, so there is no Boolean for that.

- Note 2: Only one of 'synch' or 'neg' may be True.
 - Note 3: 'dry' must not be True unless 'neg' is also True.
 - Note 4: In a language such as C the preferred implementation may be to represent the Boolean flags as bits in a single byte.
- * loop_count (integer) - Limit on negotiation steps etc. (default GRASP_DEF_LOOPCT, see [I-D.ietf-anima-grasp])
 - * value - a specific data structure expressing the value of the objective. The format is language dependent, with the constraint that it can be validly represented in CBOR (default integer = 0).

An essential requirement for all language mappings and all implementations is that, regardless of what other options exist for a language-specific representation of the value, there is always an option to use a CBOR byte string as the value. The API will then wrap this byte string in CBOR Tag 24 for transmission via GRASP, and unwrap it after reception.

An example data structure definition for an objective in the C language, assuming the use of a particular CBOR library, is:

```
typedef struct {
    char *name;
    uint8_t flags;           // flag bits as defined by GRASP
    int loop_count;
    int value_size;         // size of value in bytes
    cbor_mutable_data cbor_value;
                           // CBOR bytestring (libcbor/cbor/data.h)
} objective;
```

An example data structure definition for an objective in the Python language is:

```
class objective:
    """A GRASP objective"""
    def __init__(self, name):
        self.name = name      # Unique name (string)
        self.negotiate = False # True if objective supports negotiation
        self.dryrun = False   # True if objective supports dry-run neg.
        self.synch = False    # True if objective supports synch
        self.loop_count = GRASP_DEF_LOOPCT # Default starting value
        self.value = 0        # Place holder; any valid Python object
```

2.3.1.4. ASA_locator

An 'ASA_locator' parameter is a data structure with the following contents:

- * locator - The actual locator, either an IP address or an ASCII string.
- * ifi (integer) - The interface identifier index via which this was discovered - probably no use to a normal ASA
- * expire (system dependent type) - The time on the local system clock when this locator will expire from the cache
- * is_ipaddress (Boolean) - True if the locator is an IP address
- * is_fqdn (Boolean) - True if the locator is an FQDN
- * is_uri (Boolean) - True if the locator is a URI
- * diverted (Boolean) - True if the locator was discovered via a Divert option
- * protocol (integer) - Applicable transport protocol (IPPROTO_TCP or IPPROTO_UDP)
- * port (integer) - Applicable port number

2.3.1.5. Tagged_objective

A 'tagged_objective' parameter is a data structure with the following contents:

- * objective - An objective
- * locator - The ASA_locator associated with the objective, or a null value.

2.3.1.6. Asa_nonce

Although an authentication and authorization scheme for ASAs has not been defined, the API provides a very simple hook for such a scheme. When an ASA starts up, it registers itself with the GRASP core, which provides it with an opaque nonce that, although not cryptographically protected, would be difficult for a third party to predict. The ASA must present this nonce in future calls. This mechanism will prevent some elementary errors or trivial attacks such as an ASA manipulating an objective it has not registered to use.

Thus, in most calls, an 'asa_nonce' parameter is required. It is generated when an ASA first registers with GRASP, and the ASA must then store the `asa_nonce` and use it in every subsequent GRASP call. Any call in which an invalid nonce is presented will fail. It is an up to 32-bit opaque value (for example represented as a `uint32_t`, depending on the language). It should be unpredictable; a possible implementation is to use the same mechanism that GRASP uses to generate Session IDs [I-D.ietf-anima-grasp]. Another possible implementation is to hash the name of the ASA with a locally defined secret key.

2.3.1.7. `Session_nonce`

In some calls, a 'session_nonce' parameter is required. This is an opaque data structure as far as the ASA is concerned, used to identify calls to the API as belonging to a specific GRASP session (see [Section 2.2](#)). In fully threaded implementations this parameter might not be needed, but it is included to act as a session handle if necessary. It will also allow GRASP to detect and ignore malicious calls or calls from timed-out sessions. A possible implementation is to form the nonce from the underlying GRASP Session ID and the source address of the session.

2.3.2. Registration

These functions are used to register an ASA and the objectives that it supports with the GRASP module. If an authorization model is added to GRASP, it would also be added at this point in the API.

* `register_asa()`

- Input parameter:

 name of the ASA (UTF-8 string)

- Return parameters:

 errorcode (integer)

`asa_nonce` (integer) (if successful)

- This initialises state in the GRASP module for the calling entity (the ASA). In the case of success, an 'asa_nonce' is returned which the ASA must present in all subsequent calls. In the case of failure, the ASA has not been authorized and cannot operate.

* `deregister_asa()`

- Input parameters:
 - asa_nonce (integer)
 - name of the ASA (UTF-8 string)
 - Return parameter:
 - errorcode (integer)
 - This removes all state in the GRASP module for the calling entity (the ASA), and deregisters any objectives it has registered. Note that these actions must also happen automatically if an ASA crashes.
 - Note - the ASA name is strictly speaking redundant in this call, but is present for clarity.
- * register_objective()
- Input parameters:
 - asa_nonce (integer)
 - objective (structure)
 - ttl (integer - default GRASP_DEF_TIMEOUT)
 - discoverable (Boolean - default False)
 - overlap (Boolean - default False)
 - local (Boolean - default False)
 - Return parameter:
 - errorcode (integer)
 - This registers an objective that this ASA supports and may modify. The 'objective' becomes a candidate for discovery. However, discovery responses should not be enabled until the ASA calls listen_negotiate() or listen_synchronize(), showing that it is able to act as a responder. The ASA may negotiate the objective or send synchronization or flood data.
Registration is not needed if the ASA only wants to receive synchronization or flood data for the objective concerned.

- The 'ttl' parameter is the valid lifetime (time to live) in **milliseconds** of any discovery response for this objective. The default value should be the GRASP default timeout (GRASP_DEF_TIMEOUT, see [I-D.ietf-anima-grasp]).
 - **If the parameter 'discoverable'** is True, the objective is immediately discoverable. This is intended for objectives that are only defined for GRASP discovery, and which do not support negotiation or synchronization.
 - If the parameter 'overlap' is True, more than one ASA may register this objective in the same GRASP instance.
 - If the parameter 'local' is True, discovery must return a link-local address. This feature is for objectives that must be restricted to the local link.
 - This call may be repeated for multiple objectives.
- * deregister_objective()
- Input parameters:
 - asa_nonce (integer)
 - objective (structure)
 - Return parameter:
 - errorcode (integer)
 - The 'objective' must have been registered by the calling ASA; if not, this call fails. Otherwise, it removes all state in the GRASP module for the given objective.

2.3.3. Discovery

- * discover()
- Input parameters:
 - asa_nonce (integer)
 - objective (structure)
 - timeout (integer)
 - age_limit (integer)

- Return parameters:
 - errorcode (integer)
 - locator_list (structure)
- This returns a list of discovered 'ASA_locator's for the given objective. Note that this structure includes all the fields described in [Section 2.3.1.4](#).
- If the parameter 'age_limit' is greater than zero, any locally cached locators for the objective whose remaining lifetime in **milliseconds** is less than or equal to 'age_limit' are deleted first. Thus 'age_limit' = 0 will flush all entries.
- If the parameter 'timeout' is zero, any remaining locally cached locators for the objective are returned immediately and no other action is taken. (Thus, a call with 'age_limit' and 'timeout' both equal to zero is pointless.)
- If the parameter 'timeout' is greater than zero, GRASP discovery is performed, and all results obtained before the timeout in milliseconds expires are returned. If no results are obtained, an empty list is returned after the timeout. That is not an error condition.
- Threaded implementation: This should be called in a separate thread if asynchronous operation is required.
- Event loop implementation: An additional read/write 'session_nonce' parameter is used. A callback may be used in the case of a non-zero timeout.

2.3.4. Negotiation

* request_negotiate()

- Input parameters:
 - asa_nonce (integer)
 - objective (structure)
 - peer (ASA_locator)
 - timeout (integer)
- Return parameters:

errorcode (integer)

session_nonce (structure) (if successful)

proffered_objective (structure) (if successful)

reason (string) (if negotiation declined)

- This function opens a negotiation session. The 'objective' parameter must include the requested value, and its loop count should be set to a suitable value by the ASA. If not, the GRASP default will apply.
- Note that a given negotiation session may or may not be a dry-run negotiation; the two modes must not be mixed in a single session.
- The 'peer' parameter is the target node; it must be an 'ASA_locator' as returned by discover(). If the peer is null, GRASP discovery is performed first.
- If the 'errorcode' return parameter is 0, the negotiation has successfully started. There are then two cases:
 1. The 'session_nonce' parameter is null. In this case the negotiation has succeeded (the peer has accepted the request). The returned 'proffered_objective' contains the value accepted by the peer.
 2. The 'session_nonce' parameter is not null. In this case negotiation must continue. The returned 'proffered_objective' contains the first value proffered by the negotiation peer. Note that this instance of the objective must be used in the subsequent negotiation call because it also contains the current loop count. The 'session_nonce' must be presented in all subsequent negotiation steps.

This function must be followed by calls to 'negotiate_step' and/or 'negotiate_wait' and/or 'end_negotiate' until the negotiation ends. 'request_negotiate' may then be called again to start a new negotiation.

- If the 'errorcode' parameter has the value 1 ('declined'), the negotiation has been declined by the peer (M_END and O_DECLINE features of GRASP). The 'reason' string is then available for information and diagnostic use, but it may be a null string. For this and any other error code, an exponential backoff is recommended before any retry.
 - Threaded implementation: This should be called in a separate thread if asynchronous operation is required.
 - Event loop implementation: The 'session_nonce' parameter is used in read/write mode.
 - Use of dry run mode: This must be consistent within a GRASP session. The state of the 'dry' flag in the initial request_negotiate() call must be the same in all subsequent negotiation steps of the same session. The semantics of the dry run mode are built into the ASA; GRASP merely carries the flag bit.
 - Special note for the ACP infrastructure ASA: It is likely that this ASA will need to discover and negotiate with its peers in each of its on-link neighbors. It will therefore need to know not only the link-local IP address but also the physical interface and transport port for connecting to each neighbor. One implementation approach to this is to include these details in the 'session_nonce' data structure, which is opaque to normal ASAs.
- * listen_negotiate()
- Input parameters:
 - asa_nonce (integer)
 - objective (structure)
 - Return parameters:
 - errorcode (integer)
 - session_nonce (structure) (if successful)
 - requested_objective (structure) (if successful)
 - This function instructs GRASP to listen for negotiation requests for the given 'objective'. It also enables discovery responses for the objective.

- **Threaded implementation:** It will block waiting for an incoming request, so should be called in a separate thread if asynchronous operation is required. If the ASA supports multiple simultaneous transactions, a new thread must be spawned for each new session.
 - **Event loop implementation:** A read/write 'session_nonce' parameter is used. If the ASA supports multiple simultaneous transactions, a new event must be inserted in the event loop for each new session.
 - Unless there is an unexpected failure, this call only returns after an incoming negotiation request. When it does so, 'requested_objective' contains the first value requested by the negotiation peer. Note that this instance of the objective must be used in the subsequent negotiation call because it also contains the current loop count. The 'session_nonce' must be presented in all subsequent negotiation steps.
 - This function must be followed by calls to 'negotiate_step' and/or 'negotiate_wait' and/or 'end_negotiate' until the negotiation ends. 'listen_negotiate' may then be called again to await a new negotiation.
 - If an ASA is capable of handling multiple negotiations simultaneously, it may call 'listen_negotiate' simultaneously from multiple threads. The API and GRASP implementation must support re-entrant use of the listening state and the negotiation calls. Simultaneous sessions will be distinguished by the threads themselves, the GRASP Session IDs, and the underlying unicast transport sockets.
- * stop_listen_negotiate()
- Input parameters:
 - asa_nonce (integer)
 - objective (structure)
 - Return parameter:
 - errorcode (integer)
 - Instructs GRASP to stop listening for negotiation requests for the given objective, i.e., cancels 'listen_negotiate'.

- Threaded implementation: Must be called from a different thread than 'listen_negotiate'.
 - Event loop implementation: no special considerations.
- * negotiate_step()
- Input parameters:
 - asa_nonce (integer)
 - session_nonce (structure)
 - objective (structure)
 - timeout (integer)
 - Return parameters:
 - Exactly as for 'request_negotiate'
 - Executes the next negotiation step with the peer. The 'objective' parameter contains the next value being proffered by the ASA in this step.
 - Threaded implementation: Called in the same thread as the preceding 'request_negotiate' or 'listen_negotiate', with the same value of 'session_nonce'.
 - Event loop implementation: Must use the same value of 'session_nonce' returned by the preceding 'request_negotiate' or 'listen_negotiate'.
- * negotiate_wait()
- Input parameters:
 - asa_nonce (integer)
 - session_nonce (structure)
 - timeout (integer)
 - Return parameters:
 - errorcode (integer)

- Delay negotiation session by 'timeout' milliseconds, thereby extending the original timeout. This function simply triggers a GRASP Confirm Waiting message.
 - Threaded implementation: Called in the same thread as the preceding 'request_negotiate' or 'listen_negotiate', with the same value of 'session_nonce'.
 - Event loop implementation: Must use the same value of 'session_nonce' returned by the preceding 'request_negotiate' or 'listen_negotiate'.
- * end_negotiate()
- Input parameters:
 - asa_nonce (integer)
 - session_nonce (structure)
 - reply (Boolean)
 - reason (UTF-8 string)
 - Return parameters:
 - errorcode (integer)
 - End the negotiation session.
 - 'reply' = True for accept (successful negotiation), False for decline (failed negotiation).
 - 'reason' = optional string describing reason for decline.
 - Threaded implementation: Called in the same thread as the preceding 'request_negotiate' or 'listen_negotiate', with the same value of 'session_nonce'.
 - Event loop implementation: Must use the same value of 'session_nonce' returned by the preceding 'request_negotiate' or 'listen_negotiate'.

2.3.5. Synchronization and Flooding

- * synchronize()
- Input parameters:

asa_nonce (integer)

objective (structure)

peer (ASA_locator)

timeout (integer)

- Return parameters:

errorcode (integer)

objective (structure) (if successful)

- This call requests the synchronized value of the given 'objective'.
- Since this is essentially a read operation, any ASA can do it. Therefore the API checks that the ASA is registered but the objective doesn't need to be registered by the calling ASA.
- If the objective was already flooded, the flooded value is returned immediately in the 'result' parameter. In this case, the 'source' and 'timeout' are ignored.
- Otherwise, synchronization with a discovered ASA is performed. The 'peer' parameter is an 'ASA_locator' as returned by discover(). If 'peer' is null, GRASP discovery is performed first.
- This call should be repeated whenever the latest value is needed.
- Threaded implementation: Call in a separate thread if asynchronous operation is required.
- Event loop implementation: An additional read/write 'session_nonce' parameter is used.
- Since this is essentially a read operation, any ASA can use it. Therefore GRASP checks that the calling ASA is registered but the objective doesn't need to be registered by the calling ASA.
- In the case of failure, an exponential backoff is recommended before retrying.

* listen_synchronize()

- Input parameters:
 - asa_nonce (integer)
 - objective (structure)
 - Return parameters:
 - errorcode (integer)
 - This instructs GRASP to listen for synchronization requests for the given objective, and to respond with the value given in the 'objective' parameter. It also enables discovery responses for the objective.
 - This call is non-blocking and may be repeated whenever the value changes.
- * stop_listen_synchronize()
- Input parameters:
 - asa_nonce (integer)
 - objective (structure)
 - Return parameters:
 - errorcode (integer)
 - This call instructs GRASP to stop listening for synchronization requests for the given 'objective', i.e. it cancels a previous listen_synchronize.
- * flood()
- Input parameters:
 - asa_nonce (integer)
 - ttl (integer)
 - tagged_objective_list (structure)
 - Return parameters:
 - errorcode (integer)

- This call instructs GRASP to flood the given synchronization objective(s) and their value(s) and associated locator(s) to all GRASP nodes.
 - The 'ttl' parameter is the valid lifetime (time to live) of the flooded data in milliseconds (0 = infinity)
 - The 'tagged_objective_list' parameter is a list of one or more 'tagged_objective' couplets. The 'locator' parameter that tags each objective is normally null but may be a valid 'ASA_locator'. Infrastructure ASAs needing to flood an {address, protocol, port} 3-tuple with an objective create an ASA_locator object to do so. If the IP address in that locator is the unspecified address ('::') it is replaced by the link-local address of the sending node in each copy of the flood multicast, which will be forced to have a loop count of 1. This feature is for objectives that must be restricted to the local link.
 - The function checks that the ASA registered each objective.
 - This call may be repeated whenever any value changes.
- * get_flood()
- Input parameters:
 - asa_nonce (integer)
 - objective (structure)
 - Return parameters:
 - errorcode (integer)
 - tagged_objective_list (structure) (if successful)
 - This call instructs GRASP to return the given synchronization objective if it has been flooded and its lifetime has not expired.
 - Since this is essentially a read operation, any ASA can do it. Therefore the API checks that the ASA is registered but the objective doesn't need to be registered by the calling ASA.

- The 'tagged_objective_list' parameter is a list of 'tagged_objective' couplets, each one being a copy of the flooded objective and a corresponding locator. Thus if the same objective has been flooded by multiple ASAs, the recipient can distinguish the copies.
 - Note that this call is for advanced ASAs. In a simple case, an ASA can simply call synchronize() in order to get a valid flooded objective.
- * expire_flood()
- Input parameters:
 - asa_nonce (integer)
 - tagged_objective (structure)
 - Return parameters:
 - errorcode (integer)
 - This is a call that can only be used after a preceding call to get_flood() by an ASA that is capable of deciding that the flooded value is stale or invalid. Use with care.
 - The 'tagged_objective' parameter is the one to be expired.

2.3.6. Invalid Message Function

- * send_invalid()
- Input parameters:
 - asa_nonce (integer)
 - session_nonce (structure)
 - info (bytes)
 - Return parameters:
 - errorcode (integer)

- Sends a GRASP Invalid Message (M_INVALID) message, as described in [I-D.ietf-anima-grasp]. Should not be used if end_negotiate() would be sufficient. Note that this message may be used in response to any unicast GRASP message that the receiver cannot interpret correctly. In most cases this message will be generated internally by a GRASP implementation.

'info' = optional diagnostic data. May be raw bytes from the invalid message.

3. Implementation Status [RFC Editor: please remove]

A prototype open source Python implementation of GRASP, including an API similar to this document, has been used to verify the concepts for the threaded model. It may be found at <https://github.com/becarpenter/graspy> with associated documentation and demonstration ASAs.

4. Security Considerations

Security issues for the GRASP protocol are discussed in [I-D.ietf-anima-grasp]. Authorization of ASAs is a subject for future study.

The 'asa_nonce' parameter is used in the API as a first line of defence against a malware process attempting to imitate a legitimately registered ASA. The 'session_nonce' parameter is used in the API as a first line of defence against a malware process attempting to hijack a GRASP session.

5. IANA Considerations

This document makes no request of the IANA.

6. Acknowledgements

Excellent suggestions were made by Ignas Bagdonas, Toerless Eckert, Guangpeng Li, Michael Richardson, and other participants in the ANIMA WG.

7. References

7.1. Normative References

[I-D.ietf-anima-grasp]

Bormann, C., Carpenter, B., and B. Liu, "A Generic Autonomic Signaling Protocol (GRASP)", Work in Progress, Internet-Draft, [draft-ietf-anima-grasp-15](https://tools.ietf.org/html/draft-ietf-anima-grasp-15), 13 July 2017, <<https://tools.ietf.org/html/draft-ietf-anima-grasp-15>>.

7.2. Informative References

[I-D.ietf-anima-autonomic-control-plane]

Eckert, T., Behringer, M., and S. Bjarnason, "An Autonomic Control Plane (ACP)", Work in Progress, Internet-Draft, [draft-ietf-anima-autonomic-control-plane-24](https://tools.ietf.org/html/draft-ietf-anima-autonomic-control-plane-24), 9 March 2020, <<https://tools.ietf.org/html/draft-ietf-anima-autonomic-control-plane-24>>.

[I-D.ietf-anima-bootstrapping-keyinfra]

Pritikin, M., Richardson, M., Eckert, T., Behringer, M., and K. Watsen, "Bootstrapping Remote Secure Key Infrastructures (BRSKI)", Work in Progress, Internet-Draft, [draft-ietf-anima-bootstrapping-keyinfra-41](https://tools.ietf.org/html/draft-ietf-anima-bootstrapping-keyinfra-41), 8 April 2020, <<https://tools.ietf.org/html/draft-ietf-anima-bootstrapping-keyinfra-41>>.

[I-D.ietf-anima-reference-model]

Behringer, M., Carpenter, B., Eckert, T., Ciavaglia, L., and J. Nobre, "A Reference Model for Autonomic Networking", Work in Progress, Internet-Draft, [draft-ietf-anima-reference-model-10](https://tools.ietf.org/html/draft-ietf-anima-reference-model-10), 22 November 2018, <<https://tools.ietf.org/html/draft-ietf-anima-reference-model-10>>.

[I-D.liu-anima-grasp-distribution]

Liu, B., Xiao, X., Hecker, A., Jiang, S., and Z. Despotovic, "Information Distribution in Autonomic Networking", Work in Progress, Internet-Draft, [draft-liu-anima-grasp-distribution-13](https://tools.ietf.org/html/draft-liu-anima-grasp-distribution-13), 12 December 2019, <<https://tools.ietf.org/html/draft-liu-anima-grasp-distribution-13>>.

Appendix A. Error Codes

This Appendix lists the error codes defined so far, with suggested symbolic names and corresponding descriptive strings in English. It is expected that complete API implementations will provide for localisation of these descriptive strings, and that additional error codes will be needed according to implementation details.

ok	0	"OK"
declined	1	"Declined"
noReply	2	"No reply"
unspec	3	"Unspecified error"
ASAFull	4	"ASA registry full"
dupASA	5	"Duplicate ASA name"
noASA	6	"ASA not registered"
notYourASA	7	"ASA registered but not by you"
notBoth	8	"Objective cannot support both negotiation and synchronization"
notDry	9	"Dry-run allowed only with negotiation"
notOverlap	10	"Overlap not supported by this implementation"
objFull	11	"Objective registry full"
objReg	12	"Objective already registered"
notYourObj	13	"Objective not registered by this ASA"
notObj	14	"Objective not found"
notNeg	15	"Objective not negotiable"
noSecurity	16	"No security"
noDiscReply	17	"No reply to discovery"
sockErrNegRq	18	"Socket error sending negotiation request"
noSession	19	"No session"
noSocket	20	"No socket"
loopExhausted	21	"Loop count exhausted"
sockErrNegStep	22	"Socket error sending negotiation step"
noPeer	23	"No negotiation peer"
CBORfail	24	"CBOR decode failure"
invalidNeg	25	"Invalid Negotiate message"
invalidEnd	26	"Invalid end message"
noNegReply	27	"No reply to negotiation step"
noValidStep	28	"No valid reply to negotiation step"
sockErrWait	29	"Socket error sending wait message"
sockErrEnd	30	"Socket error sending end message"
IDclash	31	"Incoming request Session ID clash"
notSynch	32	"Not a synchronization objective"
notFloodDisc	33	"Not flooded and no reply to discovery"
sockErrSynRq	34	"Socket error sending synch request"
noListener	35	"No synch listener"
noSynchReply	36	"No reply to synchronization request"
noValidSynch	37	"No valid reply to synchronization request"
invalidLoc	38	"Invalid locator"

Appendix B. Change log [RFC Editor: Please remove]

[draft-ietf-anima-grasp-api-05](#), 2020-05-08:

- * Converted to xml2rfc v3
- * Editorial fixes.

[draft-ietf-anima-grasp-api-04](#), 2019-10-07:

- * Improved discussion of layering, mentioned daemon.
- * Added callbacks and improved description of asynchronous operations.
- * Described use case for 'session_nonce'.
- * More explanation of 'asa_nonce'.
- * Change 'discover' to use 'age_limit' instead of 'flush'.
- * Clarified use of 'dry run'.
- * Editorial improvements.

[draft-ietf-anima-grasp-api-03](#), 2019-01-21:

- * Replaced empty "logic flows" section by "implementation status".
- * Minor clarifications.
- * Editorial improvements.

[draft-ietf-anima-grasp-api-02](#), 2018-06-30:

- * Additional suggestion for event-loop API.
- * Discussion of error code values.

[draft-ietf-anima-grasp-api-01](#), 2018-03-03:

- * Editorial updates

[draft-ietf-anima-grasp-api-00](#), 2017-12-23:

- * WG adoption
- * Editorial improvements.

[draft-liu-anima-grasp-api-06](#), 2017-11-24:

- * Improved description of event-loop model.
- * Changed intended status to Informational.
- * Editorial improvements.

[draft-liu-anima-grasp-api-05](#), 2017-10-02:

- * Added `send_invalid()`

[draft-liu-anima-grasp-api-04](#), 2017-06-30:

- * Noted that simple nodes might not include the API.
- * Minor clarifications.

[draft-liu-anima-grasp-api-03](#), 2017-02-13:

- * Changed error return to integers.
- * Required all implementations to accept objective values in CBOR.
- * Added non-blocking alternatives.

[draft-liu-anima-grasp-api-02](#), 2016-12-17:

- * Updated for [draft-ietf-anima-grasp-09](#)

[draft-liu-anima-grasp-api-02](#), 2016-09-30:

- * Added items for [draft-ietf-anima-grasp-07](#)
- * Editorial corrections

[draft-liu-anima-grasp-api-01](#), 2016-06-24:

- * Updated for [draft-ietf-anima-grasp-05](#)
- * Editorial corrections

[draft-liu-anima-grasp-api-00](#), 2016-04-04:

- * Initial version

Authors' Addresses

Brian Carpenter
School of Computer Science
University of Auckland
PB 92019
Auckland 1142
New Zealand

Email: brian.e.carpenter@gmail.com

Bing Liu (editor)
Huawei Technologies
Q14, Huawei Campus
No.156 Beiqing Road
Hai-Dian District, Beijing
100095
P.R. China

Email: leo.liubing@huawei.com

Wendong Wang
BUPT University
Beijing University of Posts & Telecom.
No.10 Xitucheng Road
Hai-Dian District, Beijing 100876
P.R. China

Email: wdwang@bupt.edu.cn

Xiangyang Gong
BUPT University
Beijing University of Posts & Telecom.
No.10 Xitucheng Road
Hai-Dian District, Beijing 100876
P.R. China

Email: xygong@bupt.edu.cn